

# LOOP TR (Trimless)



- LOOP is a complete series of square with rounded corners luminaires available for surface, pendant, recessed and trimless application.
- The trimless version offers an elegant aesthetically solution for small and large scale projects.
- It consists of two models: High Power and High Efficiency.
- It is offered with a Low Glare (UGR<21.8\*) as an option in the High Power model.
- It is offered with a Low UGR (UGR<18.6\*) as an option in the High Efficiency model.
- Luminaire material: Aluminium.
- Cover material: PMMA
- Powder Coated: White (RAL9003)
- Custom luminaire colours also available on request.
- Low tolerances for colour temperature (MacAdam 3).
- Lumen maintenance L80/B10 50.000h
- Emergency Function capability, (3 hours, with build-in rechargeable battery).
- Indoor Use: IP40







**LED source efficacy up to 197lm/W (4000K)**  
**Luminaire efficacy up to 132lm/W (4000K)**

**Available upon request:**

- ✓ Custom luminaire colours
- ✓ Emergency version

\*Glare Evaluation: X=4H / Y=8H, S=0,25H, Reflection factors: 70/50/20






Model	Luminaire Colour	CCT	Watt / Diameter	CRI* LED Source	CRI* LED Source	Type	Voltage	Dimming Option	Extras		
<b>LOOP Trimless High Power</b> (LOOP TR HP)	White (WH)	3000K (30)	<b>HIGH POWER</b>			≥ 80 (80)	≥ 80 (80)	Opal (OP)	230VAC (230)	Non Dimmable (ND)	<b>Fuction</b> Standard (0) Emergency (1)
			17.6W / 30x30cm (18W3030)	2660lm	2780lm	Low Glare (LG)**					
			39.5W / 45x45cm (40W4545)	5860lm	6160lm						
			75W / 59x59cm (75W5959)	10720lm	11270lm						
			153.5W / 86x86cm (154W8686)	22150lm	23290lm						
			272.8W / 113x113cm (273W113113)	39380lm	41400lm						
			426.3W / 140x140cm (426W140140)	61540lm	64700lm						
<b>LOOP Trimless High Efficiency</b> (LOOP TR HE)	White (WH)	3000K (30)	<b>HIGH EFFICIENCY</b>			≥ 80 (80)	≥ 80 (80)	Opal (OP)	230VAC (230)	Non Dimmable (ND)	<b>Fuction</b> Standard (0) Emergency (1)
			6.6W / 30x30cm (07W3030)	1130lm	1180lm	Low UGR (LU)**					
			13.4W / 45x45cm (13W4545)	2250lm	2370lm						
			25.9W / 59x59cm (26W5959)	4200lm	4410lm						
			58.3W / 86x86cm (58W8686)	9450lm	9930lm						
			103.7W / 113x113cm (104W113113)	16790lm	17650lm						
			162W / 140x140cm (162W140140)	26230lm	27580lm						

\* Available in CRI90 upon request.

\*\* Low Glare (UGR<21.8), Low UGR (UGR<18.6)

Ordering Code Example: LOOP TR HP-WH-30-154W8686-80-LG-230-ND-0







**LOOP Trimless**

<b>HIGH POWER</b>	18W	40W	75W	154W	273W	426W
<b>HIGH EFFICIENCY</b>	7W	13W	26W	58W	104W	162W
<b>Weight</b>	1.55Kgs	3.46Kgs	6.24Kgs	11.70Kgs	18.80Kgs	28Kgs

**HIGH POWER**



**HIGH EFFICIENCY**

