

LIMIT RC IP67/IP66

- LIMIT 67/66 is an elegant waterproof trimless or recessed downlight available in 3 different sizes.
- Most models may also be 9/12mm lowered from the ceiling offering a special note to any space.
- The series offers low UGR ensuring visual comfort.
- Available in either black or white colour.
- It offers a selection of dimming options.
- 3 SDCM
- L90/B10 50.000h
- IP Protection: IP67/IP66

6.4W



8.8W



12.8W



position 1




position 2

Model	LED Power	CCT*	CRI80, CRI90 LED Source	Beam Angle	Type	Luminaire Colour: Trim/Inner Case	Dimming Option	Accessories
			80 (80) 90 (90)					
LIMIT RC <i>(LIMIT RC)</i>	6.4W (06)	2700K (27B)	793lm 655lm	24° (24)	Fixed (FX)	White/White (WW)	Without Driver (00)	No Extras (0) Emergency (1) Honeycomb (2)
		3000K (30B)	843lm 684lm	36° (36)		White/Black (WB)	Non Dimmable (ND)	
		4000K (40B)	867lm 724lm	48° (48)		Black/Black (BB)	Analogue (1-10V) (A1)	
		5000K (50B)	878lm 759lm			Black/White (BW)	DMX (DX) DALI (DL) Push Button (PB) Phase Cut (PC) Wireless** (WL)	
	8.8W (09)	2700K (27B)	1204lm 993lm	17° (17)				
		3000K (30B)	1279lm 1038lm	24° (24)				
		4000K (40B)	1316lm 1098lm	36° (36)				
		5000K (50B)	1331lm 1151lm	60° (60)				
	12.8W (13)	2700K (27B)	1678lm 1384lm					
		3000K (30B)	1783lm 1447lm					
		4000K (40B)	1835lm 1531lm					
		5000K (50B)	1857lm 1605lm					





* Models with CCTs of 3500K & 6500K are available upon request.

** The wireless dimming option includes driver and Bluetooth dimming accessory.





Ordering Code Example: *LIMIT RC-06-30B-80-48-FX-WW-DL-0*

6.4W

8.8W

12.8W


6.4W



8.8W



12.8W

