

# LIMIT TR IP67/IP66

- LIMIT 67/66 is an elegant waterproof trimless or recessed downlight available in 3 different sizes.
- Most models may also be 9/12mm lowered from the ceiling offering a special note to any space.
- The series offers low UGR ensuring visual comfort.
- Available in either black or white colour.
- It offers a selection of dimming options.
- 3 SDCM
- L90/B10 50.000h
- IP Protection: IP67/IP66



6.4W



8.8W



12.8W



position 1



position 2






Model	LED Power	CCT*	CRI80, CRI90 LED Source	Beam Angle	Type	Colour	Dimming Option	Accessories				
<b>LIMIT TR</b> <i>(LIMIT TR)</i>	<b>6.4W</b> (06)	2700K (27B) 3000K (30B) 4000K (40B) 5000K (50B)	80 (80) 90 (90)	793lm 655lm	Fixed (FX)	White (WH) Black (BL)	Without Driver (00) Non Dimmable (ND) Analogue (1-10V) (A1) DMX (DX) DALI (DL) Push Button (PB) Phase Cut (PC) Wireless** (WL)	No Extras (0) Emergency (1) Honeycomb (2)				
				843lm 684lm					24° (24)			
				867lm 724lm					36° (36)			
				878lm 759lm					48° (48)			
				<b>8.8W</b> (09)					2700K (27B) 3000K (30B) 4000K (40B) 5000K (50B)	1204lm 993lm	1279lm 1038lm	17° (17)
											1316lm 1098lm	24° (24)
	1331lm 1151lm	36° (36)										
	1331lm 1151lm	60° (60)										
	<b>12.8W</b> (13)	2700K (27B) 3000K (30B) 4000K (40B) 5000K (50B)	1678lm 1384lm		1783lm 1447lm							
					1835lm 1531lm							
				1857lm 1605lm								




\* Models with CCTs of 3500K & 6500K are available upon request.

\*\* The wireless dimming option includes driver and Bluetooth dimming accessory.




Ordering Code Example: *LIMIT TR-09-40B-90-60-FX-WH-DL-0*

**6.4W**

**8.8W**

**12.8W**


6.4W



8.8W



12.8W

