

MAROON consists of two slim and elegant bollard with minimal aesthetic available in 8 and 15 Watt.

- It offers visual comfort and is ideal for outdoor landscapes.
- Available in black colour. RAL colours available upon request.
- Luminaire body: Aluminium
- Available with stainless steel spike or concrete base supplied as extra.
- IK Rate: IK08
- L90/ B10 50000h
- Ingress Protection: IP65








Model	CCT	LED Source	Height	Type	CRI	Beam Angle	Colour	Dimming Option
<b>MAROON 8W</b> (MAROON 8)	2700K (27B)	535lm	H: 400mm (400)	Fixed (FX)	80 (80)	115° (115)	Black (BL)	230VAC (230)
	3000K (30B)	540lm						
	4000K (40B)	555lm						
<b>MAROON 15W</b> (MAROON 15)	2700K (27B)	1505lm	H: 700mm (700)					
	3000K (30B)	1512lm						
	4000K (40B)	1525lm						

Ordering Code Example: MAROON 15-40B-700-FX-80-115-BL-230

MAROON 15W



MAROON 8W



**ACR.084**  
Stainless Steel Spike  
for MAROON 8W  
(as extra)



**ACR.083**  
Stainless Steel Spike  
for MAROON 15W  
(as extra)



**ACR.101**  
Concrete Base  
for MAROON 8  
(as extra)



**ACR.063**  
Concrete Base  
for MAROON 15  
(as extra)

