

LIMIT RC IP67/IP66

- LIMIT 67/66 is an elegant waterproof trimless or recessed downlight available in 3 different sizes.
- Most models may also be 9/12mm lowered from the ceiling offering a special note to any space.
- The series offers low UGR ensuring visual comfort.
- Available in either black or white colour.
- It offers a selection of dimming options.
- 3 SDCM
- L90/B10 50.000h
- IP Protection: IP67/IP66

6.4W



8.8W



12.8W & 17W



position 1




position 2

Model	LED Power	CCT*	CR180, CR190 LED Source	Beam Angle	Type	Luminaire Colour: Trim/Inner Case	Dimming Option	Accessories
			80 (80) 90 (90)					
LIMIT RC <i>(LIMIT RC)</i>	6.4W (06)	2700K (27B)	793lm 655lm	24° (24)	Fixed (FX)	White/White (WW) White/Black (WB) Black/Black (BB) Black/White (BW)	Without Driver (00) Non Dimmable (ND) Analogue (1-10V) (A1) DMX (DX) DALI (DL) Push Button (PB) Phase Cut (PC) Wireless** (WL)	No Extras (0) Emergency (1) Honeycomb (2)
		3000K (30B)	843lm 684lm	36° (36)				
		4000K (40B)	867lm 724lm	48° (48)				
		5000K (50B)	878lm 759lm					
	8.8W (09)	2700K (27B)	1204lm 993lm	17° (17)				
		3000K (30B)	1279lm 1038lm	24° (24)				
		4000K (40B)	1316lm 1098lm	36° (36)				
		5000K (50B)	1331lm 1151lm	60° (60)				
	12.8W (13)	2700K (27B)	1678lm 1384lm					
		3000K (30B)	1783lm 1447lm					
		4000K (40B)	1835lm 1531lm					
		5000K (50B)	1857lm 1605lm					
17W (17)	2700K (27B)	2525lm 2080lm						
	3000K (30B)	2680lm 2180lm						
	4000K (40B)	2760lm 2300lm						
	5000K (50B)	2790lm 2415lm						



* Models with CCTs of 3500K & 6500K are available upon request.

** The wireless dimming option includes driver and Bluetooth dimming accessory.




Ordering Code Example: *LIMIT RC-06-30B-80-48-FX-WW-DL-0*

6.4W

8.8W

12.8W & 17W


6.4W



8.8W



12.8W & 17W

