

- LIMIT 67/66 is an elegant waterproof trimless or recessed downlight available in 3 different sizes.
- Most models may also be 9/12mm lowered from the ceiling offering a special note to any space.
- The series offers low UGR ensuring visual comfort.
- Available in either black or white colour.
- It offers a selection of dimming options.
- 3 SDCM
- L90/B10 50.000h
- IP Protection: IP67/IP66



6.4W

8.8W

12.8W & 17W



position 1

position 2


Model	LED Power	CCT*	CRI80, CRI90 LED Source	Beam Angle	Type	Colour	Dimming Option	Accessories
			80 (80) 90 (90)					
<b>LIMIT TR</b> (LIMIT TR)	<b>6.4W</b> (06)	2700K (27B)	793lm 655lm	24° (24)	Fixed (FX)	White (WH)	Without Driver (00) Non Dimmable (ND) Analogue (1-10V) (A1) DMX (DX) DALI (DL) Push Button (PB) Phase Cut (PC) Wireless** (WL)	No Extras (0) Emergency (1) Honeycomb (2)
		3000K (30B)	843lm 684lm	36° (36)		Black (BL)		
		4000K (40B)	867lm 724lm	48° (48)				
		5000K (50B)	878lm 759lm					
<b>8.8W</b> (09)	2700K (27B)	1204lm 993lm	17° (17)					
	3000K (30B)	1279lm 1038lm	24° (24)					
	4000K (40B)	1316lm 1098lm	36° (36)					
	5000K (50B)	1331lm 1151lm	60° (60)					
<b>12.8W</b> (13)	2700K (27B)	1678lm 1384lm						
	3000K (30B)	1783lm 1447lm						
	4000K (40B)	1835lm 1531lm						
	5000K (50B)	1857lm 1605lm						
<b>17W</b> (17)	2700K (27B)	2525lm 2080lm						
	3000K (30B)	2680lm 2180lm						
	4000K (40B)	2760lm 2300lm						
	5000K (50B)	2790lm 2415lm						

\* Models with CCTs of 3500K & 6500K are available upon request.


\*\* The wireless dimming option includes driver and Bluetooth dimming accessory.

Ordering Code Example: LIMIT TR-09-40B-90-60-FX-WH-DL-0


**6.4W**






**8.8W**






**12.8W & 17W**



**6.4W**



**8.8W**



**12.8W & 17W**

