


PRIME SERIES 42LED/m 10W/m CRI80+

Prime series is the finest series of LED strips, produced with NICHIA LEDs offered with 3 step MacAdam as standard. The series is offered also at low CCTs: 2000K and 2500K besides the standard CCTs. The series has an excellent lumen efficacy that reaches up to 137lm/W. It can ideally be used with the appropriate aluminium profiles and IP20 version is offered with adhesive 3M tape on the rear side.

Lighting management options:
On-Off/DALI/0...10V/1...10V/DMX512/PHASE CUT/IR/RF/PUSH BUTTON/Bluetooth

L90/B10 50.000h
3 Step MacAdam



Code	No.LED/m	Watt/m	Reel(m)	CCT / CRI	Luminus FLUX (lm/m)	Voltage	Beam Angle	Beam Angle *(mm)	IP Rate**
<i>IP20</i>									
TIV.333	42	10.5W	5	2000K / 80+	968	24VDC	120°	166.6	IP20
TIV.334	42	10.5W	5	2500K / 80+	1049	24VDC	120°	166.6	IP20
TIV.341	42	10.5W	5	2700K / 80+	1244	24VDC	120°	166.6	IP20
TIV.345	42	10.5W	5	3000K / 80+	1260	24VDC	120°	166.6	IP20
TIV.349	42	10.5W	5	4000K / 80+	1395	24VDC	120°	166.6	IP20
TIV.353	42	10.5W	5	5700K / 80+	1440	24VDC	120°	166.6	IP20
<i>IP65</i>									
TIV.335	42	10.5W	5	2000K / 80+	955	24VDC	120°	166.6	IP65
TIV.336	42	10.5W	5	2500K / 80+	1021	24VDC	120°	166.6	IP65
TIV.342	42	10.5W	5	2700K / 80+	1230	24VDC	120°	166.6	IP65
TIV.346	42	10.5W	5	3000K / 80+	1245	24VDC	120°	166.6	IP65
TIV.350	42	10.5W	5	4000K / 80+	1380	24VDC	120°	166.6	IP65
TIV.354	42	10.5W	5	5700K / 80+	1420	24VDC	120°	166.6	IP65

*Please confirm the connection points on the modules.
**Available in IP66 upon request.

