





- Whisper is a high aesthetically downlight.
- It is offered either recessed or trimless.
- It is available either round or square.
- WHISPER DEEP version is also available for GU10 LED lamps.
- Luminaire outer trim material: aluminium.
- 3 SDCM
- L90/B10 50000h
- Low UGR ensuring visual comfort (UGR<15).
- Selection of IP protection: either IP20 or IP54 (face only).



| Name   | Shape*                                    | Model                                    | CCT  | CRI80, CRI90<br>LED Source | Beam<br>Angle                    | Luminaire<br>Colour:             | Dimming Option                         | Accessories   |   |                                  |  |  |
|--|---|--|--|----------------------------|----------------------------------|----------------------------------|--|---|---|----------------------------------|--|--|
| <b>WHISPER TR</b><br><i>(WHISPER TR)</i>           | Round<br><i>(RD)</i>                      | <b>Low Depth<br/>7W</b><br><i>(LD7)</i>  | 2700K (27C)                                | 930lm                      | 762lm                            | 30° (30)                         | White <i>(WH)</i><br>Black <i>(BL)</i> | Without Driver <i>(00)</i><br>Non Dimmable <i>(ND)</i><br>Analogue (1-10V) <i>(A1)</i><br>DMX <i>(DX)</i><br>DALI <i>(DL)</i><br>Push Button <i>(PB)</i><br>Phase Cut <i>(PC)</i><br>Wireless** <i>(WL)</i> | <div style="text-align: right;">(XXX)</div>  <p><b>COVER</b></p> <ul style="list-style-type: none"> <li>Standard <i>(0XX)</i></li> <li>Honeycomb <i>(1XX)</i></li> <li>Linear Spread <i>(2XX)</i></li> <li>Softening Lens <i>(3XX)</i></li> </ul> <p><b>IP RATE</b></p> <ul style="list-style-type: none"> <li>IP20 <i>(X0X)</i></li> <li>IP54 <i>(X1X)</i></li> </ul> <p><b>EXTRAS</b></p> <ul style="list-style-type: none"> <li>No Extras <i>(X00)</i></li> <li>Emergency Kit <i>(X11)</i></li> </ul> |                                  |  |  |
|  |   |  | 3000K (30C)                                | 960lm                      | 792lm                            |                                  |  |   |   |                                  |  |  |
|  | Square<br><i>(SQ)</i>                     | <b>Standard<br/>6.2W</b><br><i>(ST6)</i> | 4000K (40C)                                | 1020lm                     | 840lm                            | 18° (18)<br>37° (37)<br>52° (52) |  |   |   |                                  |  |  |
|  |   |  | 5000K (50C)                                | 1020lm                     | 840lm                            |                                  |  |   |   |                                  |  |  |
|  |   |  | 2700K (27C)                                | 704lm                      | 568lm                            |                                  |  |   |   | 18° (18)<br>37° (37)<br>52° (52) |  |  |
|  |   |  | 3000K (30C)                                | 713lm                      | 608lm                            |                                  |  |   |   |                                  |  |  |
|  |   |  | 4000K (40C)                                | 760lm                      | 656lm                            |                                  |  |   |   |                                  |  |  |
|  |   |  | <b>Standard<br/>12.2W</b><br><i>(ST12)</i> | 5000K (50C)                | 736lm                            |                                  |  |   |   | 704lm                            |  |  |
|  | 2700K (27C)                               | 1590lm                                   |  | 1380lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  | 3000K (30C)                               | 1710lm                                   |  | 1485lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  | <b>Standard<br/>18W</b><br><i>(ST18)</i>  | 4000K (40C)                              | 1830lm                                     | 1590lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  |   | 5000K (50C)                              | 1710lm                                     | 1590lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  |   | 2700K (27C)                              | 2067lm                                     | 1794lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  | <b>Narrow<br/>Beam 6W</b><br><i>(NB6)</i> | 3000K (30C)                              | 2223lm                                     | 1931lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  |   | 4000K (40C)                              | 2379lm                                     | 2067lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  |   | 5000K (50C)                              | 2223lm                                     | 2067lm                     |                                  |                                  |  |   |   |                                  |  |  |
|  | <b>Narrow<br/>Beam 8W</b><br><i>(NB8)</i> | 2700K (27C)                              | 616lm                                      | 497lm                      | 9° (09)                          |                                  |  |   |   |                                  |  |  |
|  |   | 3000K (30C)                              | 616lm                                      | 532lm                      |                                  |                                  |  |   |   |                                  |  |  |
|  |   | 4000K (40C)                              | 665lm                                      | 574lm                      |                                  |                                  |  |   |   |                                  |  |  |
|  | <b>Zoom 6.4W</b><br><i>(ZM6)</i>          | 5000K (50C)                              | 714lm                                      | 616lm                      | 22°-50°<br><i>(2250)</i>         |                                  |  |   |   |                                  |  |  |
| 2700K (27C)  |   | 792lm                                    | 639lm                                      |                            |                                  |                                  |  |   |   |                                  |  |  |
| 3000K (30C)  |   | 792lm                                    | 684lm                                      |                            |                                  |                                  |  |   |   |                                  |  |  |
| <b>Zoom 13W</b><br><i>(ZM13)</i>                   | 4000K (40C)                               | 855lm                                    | 738lm                                      |                            |                                  |                                  |  |   |   |                                  |  |  |
|  | 5000K (50C)                               | 918lm                                    | 792lm                                      |                            |                                  |                                  |  |   |   |                                  |  |  |
|  | 2700K (27C)                               | 1306lm                                   | 1098lm                                     |                            |                                  |                                  |  |   |   |                                  |  |  |
| <b>Warm<br/>Dimming<br/>0.2-6W</b><br><i>(WD6)</i> | 3000K (30C)                               | 1360lm                                   | 1150lm                                     | 90 (90) 95 (95)            | 18° (18)<br>37° (37)<br>52° (52) |                                  |  |   |   |                                  |  |  |
|  | 4000K (40C)                               | 1435lm                                   | 1236lm                                     |                            |                                  |                                  |  |   |   |                                  |  |  |
|  | 5000K (50C)                               | 1453lm                                   | 1236lm                                     |                            |                                  |                                  |  |   |   |                                  |  |  |
| <b>Warm<br/>Dimming<br/>12W</b><br><i>(WD12)</i>   | 2700K (27C)                               | 1830lm                                   | 1545lm                                     | 1830B                      |                                  |                                  |  |   |   |                                  |  |  |
|  | 3000K (30C)                               | 1246lm                                   | 1045lm                                     |                            |                                  |                                  |  |   |   |                                  |  |  |
| <b>Tunable<br/>White 5.9W</b><br><i>(TW6)</i>      | 2700K (27C)                               | 585lm                                    | (both CCTs driven)                         | 2750B                      |                                  |                                  |  |   |   |                                  |  |  |
|  | 3000K (30C)                               | 585lm                                    | (both CCTs driven)                         |                            |                                  |                                  |  |   |   |                                  |  |  |
| <b>Tunable<br/>White 11.5W</b><br><i>(TW12)</i>    | 2700K (27C)                               | 987lm                                    | (both CCTs driven)                         | 2750B                      |                                  |                                  |  |   |   |                                  |  |  |
|  | 3000K (30C)                               | 987lm                                    | (both CCTs driven)                         |                            |                                  |                                  |  |   |   |                                  |  |  |



\* WHISPER ADJ only available in round shape  
\*\* The wireless dimming option includes driver and Bluetooth dimming accessory.

Ordering Code Example: WHISPER TR-RD-ST18-30C-80-37-WH-DL-100

WHISPER DEEP LL




| Model  | Shape                                   | Luminaire Colour:                      | Lamp Holder          | Accessories   |
|--|---|--|----------------------|---|
| <b>WHISPER TR DEEP LL</b><br><i>(WHISPER TR DEEP LL)</i> | Round <i>(RD)</i><br>Square <i>(SQ)</i> | White <i>(WH)</i><br>Black <i>(BL)</i> | GU10 (max 7.5W) (G1) | <p><b>COVER</b></p> <p>Standard (0x)<br/>Honeycomb (1x)<br/>Linear Spread (2x)<br/>Softening Lens (3x)</p> <p><b>IP RATE</b></p> <p>IP20 (x0)<br/>IP54 (x1)</p> <p>(XX)</p> |



Ordering Code Example:  
WHISPER TR DEEP LL-RD-WW-G-1-10




LD7




ST6/ ST12/ ST18/ WD6 /WD12 /TW6 /TW12

WHISPER RD BL




WHISPER SQ BL




NB6/ NB8

WHISPER RD BL





ZM6/ ZM13


WHISPER RD BL





**WHISPER TR Round**



**WHISPER TR DEEP Round**



**WHISPER TR Square**



**WHISPER TR DEEP Square**

